



महाराष्ट्र शासन

औद्योगिक सुरक्षा व आरोग्य संचालनालय (कामगार विभाग)

परवाना क्रं : १९६४६

नमूना क्रमांक ४

(नियम ६ व ८ पाहणे)

कारखान्याची नोंदणी व कारखाना चालविण्याचा संबंधीचा परवाना

नोंदणी क्रमांक : १२१७०२५९२०००६-४



कारखाने अधिनियम, १९४८ आणि त्यासंबंधी असलेले नियम यांच्या तरतुदीप्रमाणे स्कॉन इंफ्रा प्रेस्ट्रेस एलएलपी यांना खाली वर्णन केलेल्या जागेत कारखाना चालविण्यास परवाना देण्यात आला आहे.

या परवान्यान्वये या जागेत कोणत्याही एका दिवशी ५० पर्यंत कामगार लावण्यास आणि ५०० पर्यंत अश्वशक्तित उपयोगात आणण्यास परवानगी आहे.

या परवान्याची मुदत ३१ डिसेंबर २०२२ पर्यंत आहे.

परवान्याचे नुतनीकरण १ जानेवारी २०२३ ते ३१ डिसेंबर २०३१ पर्यंत करण्यात आले आहे.

Digitally Signed by
DEEPAK UTTAMRAO POKALE
Date:2/24/2025 6:30:13 PM

शुल्क रु. - ९९७५३.६० पोहोचले

दिनांक : २४-०२-२०२५

Signature valid



संचालक

औद्योगिक सुरक्षा व आरोग्य,
महाराष्ट्र राज्य, कल्याण

परवाना दिलेल्या जागेचे वर्णन

परवाना दिलेल्या कारखान्याचे

स्कॉन इंफ्रा प्रेस्ट्रेस एलएलपी

Factory Name :

SCON INFRA PRESTRESS LLP

पत्ता :

एच नं. २९९१, बाबोस इंडस्ट्रियल कॉम्प्लेक्स, नाशिक

हायवे, सोनाळे, फिंडी, ठाणे, महाराष्ट्र, ४२१३०२

Address :

H NO 2991, BABOSA INDUSTRIAL COMPLEX, NASHIK
HIGHWAY, SONALE, Bhiwandi, MAHARASHTRA, 421302

कलम :

२(m)(i)

औद्योगिक वर्गीकरण :

२५९२०

कारखान्याच्या इमारतीचे नकाशे दिनांक १२.०४.२०२४ च्या जावक क्रमांक १२१७००००००३४८६१ खाली मंजूर केले गेले आहेत.

It should be noted that, this license is issued to the factory with respect to your application no.100002082540 and subject to the compliance of the all the conditions mentioned as per Rule 6a of Maharashtra factories rules, 1963.

The previous license no shall be treated cancelled

This Certificate is digitally signed by on. 24-02-2025

टिप : हा कारखान्याची नोंदणी व कारखाना चालवण्याचा परवाना आहे. हा परवाना देण्यात आल्यामुळे ज्या जागेत हा कारखाना स्थित आहे,

त्या जागेस कोणतीही वैधता आपोआप बहाल होत नाही तसेच ज्या जागेत हा कारखाना स्थित आहे ती जागा आज दिनांक वेळेस अस्तित्वात

असल्या संबंधात या परवान्यामुळे कोणताही हक्क व स्वामित्व सदरहू भोगवटदारास प्राप्त होत नाही



CERTIFICATE

This is to Certify that the Management System of

SCON INFRA PRESTRESS LLP

**HEAD OFFICE: 110-111, & 113, R PLAZZIA, SWASTIK REGALIA TOWER, WAGHBILL,
GB ROAD, THANE, MAHARASHTRA 400607 INDIA.**

**FACTORY ADDRESS: H.NO. 2991, PLOT NO. 72 BABOSA INDUSTRAIL ESTATE, MUMBAI
NASHIK HIGHWAY, SONALE, BHIWANDI, THANE, MAHARASHTRA 421302 INDIA.**

**has been assessed and found to be in compliance with the
requirements of the standard**

ISO 9001: 2015

Quality Management System

This certificate is valid for the following products or service range

**DESIGNING, MANUFACTURING, SUPPLY AND INSTALLATION OF PRODUCT
AND SERVICES RELATED TO POST TENSIONING WORK, BRIDGE BEARING,
EXPANSION JOINTS, ROCK ANCHORS, CABLE STAY.**

**The validity of certificate is subject to regular surveillance audit on or before below mentioned dates
and it's only valid after successful surveillance with continuation letter issued by UCSPL**

Initial Date of Certification : 23/08/2023

Current Date of Certification : 23/08/2023

Date of Expiry :

22/08/2026

1st Surveillance Audit

22 August 2024

Certification Number :

UCS8022-23B11792

2nd Surveillance Audit

22 August 2025




Authorised Signatory



UNIVERSAL CERTIFICATION SERVICES PVT. LTD.

E-mail : admin@universalcertification.co.in

Web : www.universalcertification.co.in

**This certificate of registration remain the property of Universal Certification Services Pvt. Ltd. and shall be returned immediately upon request.
the validity of this certificate can be verified at www.universalcertification.co.in**

India Office : A-12, P.NO . 105 -108, MADHUVAN PARK-1 KOLAR ROAD, BHOPAL (462042), Madhya Pradesh, INDIA.



दिल्ली मेट्रो रेल कॉर्पोरेशन लिंटो

DELHI METRO RAIL CORPORATION LTD.

(भारत सरकार एंव दिल्ली सरकार का संयुक्त उपक्रम)
(A JOINT VENTURE OF GOVERNMENT OF INDIA AND GOVT. OF DELHI)

No. DMRC/Corp/20/Design/001/99

August 18, 2017

Scon Infrastructure,
1/26B, Rajdeep Brindavan CHS.,
Vrindavan Society, Near Vrindavan Bus Depot,
Thane (W), Mumbai - 400601

Kind Attn:- Mr. Bhujbalrao Umesh Hari

Sub:- Approval for supply of Prestressing System.

Ref:- Your letter dated August 10, 2017

Dear Sir,

This has reference to your above cited letter and technical documents/credentials submitted by you to this office for approval of your products **viz; Prestressing System** for Delhi Metro Rail Projects/Metro Rail Projects in various other cities.

While going through M/s Scon Infrastructure's credentials, it is also observed that **M/s Scon Infrastructure** is an Exclusive Agent of M/s OVM International Ltd. (China) for Prestressing System.

We have '**no objection**' in case you supply your product (**Prestressing System**) for our metro rail projects/metro rail projects in various other cities subject to the suitability and fulfillment with the technical requirements.

Since our ongoing Phase-III project has already reached an advanced stage of completion, the name of **M/s Scon Infrastructure** will be included in our Approved list of manufacturers/vendors for Phase-IV project (set to commence shortly).

The quality of the product/products should meet the required strength and other DMRC specifications. However, the Corporation wholly reserves the rights to revoke/suspend the enlistment on the basis of review any time.

This approval has been accorded on the condition of maintaining of quality intact. In case of any negative feedback and deterioration in quality, this approval will stand cancelled automatically. Mandatory checks about the

(मेट्रो भवन, फायर ब्रिगेड लेन, बाराखम्बा रोड, नई दिल्ली-110001)

Metro Bhawan, Fire Brigade Lane, Barakhamba Road, New Delhi-110001

quality will also be carried out as and when required so as to satisfy the site/s about the quality and the performance.

The above authorization, however, does not bind the Corporation in any way for use of your products/services in the works.

Yours faithfully,



(Rajan Kataria)
Executive Director/Technical

To,
M/s. Scon Infra Prestress LLP,
111, 1st floor, R Piazza, Swastik Regalia Tower,
Kavesar, Waghbill Road, Ghodbunder Road,
Thane (W), Pin 400807.

Sub:- Regarding material approval letter for Manufacturing and Supply of prestressing materials viz. Anchor cone, Anchor Head, bearing plate & wedges to be used in Metro Projects, MMRDA.

Your firm **M/s. Scon Infra Prestress LLP** has given presentation in MMRDA on 26/03/2025 for Manufacturing and Supply of prestressing materials viz. Anchor cone, Anchor Head, bearing plate & wedges for Metro Projects with all technical details, testing as per codel provision and same has been recommended by GC.

Your product prestressing materials is approved for five years with following terms and conditions;

- 1) The product should be tested as per the frequency mentioned in MORTH/Tender conditions.
- 2) The approval has been granted on the basis of documents / information, recommendations from GC after due testing and witnessing test report. The approval would be cancelled if any details are found in variance to the details already furnished during the inspection of manufacturing unit. MMRDA reserves the right to visit the manufacturing unit at any time.
- 3) MMRDA is not bound to give you any priority or preference in the issue of enquiry and placement of purchase order and does not guarantee all or any of the enquiries for the above items would necessarily be sent to you.
- 4) The applicant shall arrange for visit of MMRDA/GC officials for inspection of sites, where the products are used / being used, at its own cost.
- 5) If your company shall improve product value by acquiring additional quality accreditations and/or achieves better performance, then such changes shall be invariably informed to this office.

- 6) This approval will be renewed further on request of the firm and depending upon the performance of product on Metro Projects, MMRDA works after feedback from respective sites where the product is used.
- 7) MMRDA reserves the right to revoke / cancel the approval without assigning any reason.

Yours faithfully,



(Basavaraj M.B.)
Director (Projects), Metro PIU

Copy for information and necessary action :-

- 1) PD, GC Systra-CEG-SMCIPL Consortium, General A.K. Vaidya Marg, Dindoshi, Opp. Oberoi Mall Main Gate, Goregaon East, Mumbai 400063 (**Metro Line 9&7A, 5**)
- 2) PD, GC DB-Hill International-LB, 1st floor 115, A1 building, Wadala RTO, Wadala(E), Mumbai-400037 (**Metro Line 4 & 4A**).
- 3) PD, AICA Consortium, MMRDA Office Building no. B1, opp. New Wadala Truck Terminal, Wadala(E), Mumbai-400037 (**Metro Line – 2B**).
- 4) PD / DPD, M/s. Systra – DB Consortium, 1st floor, Durga Imperial, Suchak Naka, Opp. Tata Powerhouse, Dombivali East, Kalyan, Maharashtra (**Metro Line 12**).
- 5) Project Director, Delhi Metro Rail Corporation LTD., 8th floor, 'A' Wing, MMRDA Old Building, Bandra –Kurla Complex, Bandra (East), Mumbai 400051 (**Metro Line-6**).

Copy for information :-

- 6) Director (Works) – Metro PIU
- 7) CE (SVJ) / CE(VM) / SE(VN) / SE(PJ) / SE (AB) / SE (YP) / SE (AG)

To,

The Project Director,
M/S AICA Consortium,
MMRDA Office Building,
Building No. B1, 3rd Floor,
Opp. to New Wadala Truck Terminal-
Police Station, Wadala (E),
Mumbai 400 037.

Sub:- Contract No: **MMRDA/MMRP/L2B-C101:** Part Design And Construction of Balance Works Of Package CA04R Elevated Viaduct And 10 Elevated Stations from Chainage 34035.873m to Chainage 46860.384m of Line 2B [D.N. Nagar to Mandale] of Mumbai Metro Rail Project of MMRDA.

- **Approval to M/s Scon Infra Prestress LLP for manufacturing & supply of HDPE Sheathing Duct pipe.**

Ref:-

1. Letter from PD, GC-AICA to Director (P), MMRDA no. AICA/L2B/ MMRDA/ C101/OG/QAC/2024/34137 dated 26.09.2024.
2. Letter from PD, GC-AICA to Director (P), MMRDA no. AICA/L2B/ MMRDA/ C101/OG/QAC/2024/33970 dated 20.09.2024.
3. Letter from JKIL to GC-AICA no. JKIL/MMRDA/L2B-C101/2024-25/6577-Q dated 24.08.2024

With reference to above subject and as recommended by GC vide letter under reference no. 1 and 2, it is to inform that Competent Authority has accorded approval to the M/s Scon Infra Prestress LLP for manufacturing & supply of HDPE Sheathing Duct pipe.



Executive Engineer
Metro-PIU

Copy to: M/s J. Kumar Infraprojects Limited (JKIL), J Kumar House, CTS No, 448, 448/1, 449 Vile Parle (East), Subash Road Mumbai- 400057 - For information & necessary action.

मुंबई महानगर प्रदेश विकास प्राधिकरण

वांद्रे-कुर्ला संकुल, वांद्रे (पूर्व), मुंबई 400049
दू +91 22 2659 9234 ईपीएम्स +91 22 2659 0009 / 8000 फॉ +91 22 2659 9992 / 9264
<https://mmrda.maharashtra.gov.in>

To

M/s. Scon Infra Prestress LLP,
17, Matru Ashish CHS Ltd.,
Opp. Azara bank, Gorai-II,
Plot no. SC - 5, Rsc - 52,
Borivali (W) - 400092
info@scoinfra.com

Sub: Regarding Vendor approval to M/s. Scon Infra Prestress LLP.

Ref: Hon. MC order No. MMRDA/Material/Approval/Committee/Rev/128 dtd.
05/09/2023 & Revised order dtd. 08/11/2023

Dear Sir,

Your firm Scon Infra Prestress LLP has submitted the letter in MMRDA on date 06/06/2024 for your product Bridge Expansion joints (single Stripseal, Modular Expansion Joint), Architectural Expansion joints in Buildings.

Your product Bridge Expansion joints (single Stripseal, Modular Expansion Joint), Architectural Expansion joints in Buildings are in principle approved for One year with following terms & conditions;

- 1) The product should be proposed by the Concern Head of Department. The product should be proposed only if it is better than existing prevailing used product.
- 2) The product shall be finally approved from respective site consultant in conformity with requirements of specifications of Bureau of Indian Standards, applicable code provisions, etc.
- 3) The In principle approval has been granted on the basis of documents/information furnished by you. The approval would be cancelled if any details are found in variance to the details already furnished during the inspection of manufacturing unit.

MMRDA reserves the right to visit the manufacturing unit at any time.

- 4) MMRDA is not bound to give you any priority or preference in the issue of enquiry and placement of purchase order and does not guarantee all or any of the enquiries for the above items would necessarily be sent to you.

मुंबई महानगर प्रदेश विकास प्राधिकरण

वांद्रे-कुर्ला संकुल, वांद्रे (पूर्व), मुंबई 400049.

दू +91 22 2649 9238 ईमीएमीएस +91 22 2649 0009 / 4000 फॉ +91 22 2649 9992 / 9264
<https://mmrda.maharashtra.gov.in>

- 5) The applicant shall arrange for visit of MMRDA Engineers/Committee members for inspection of sites, where the products are used/being used, at its own cost, as and when requested by MMRDA.
- 6) The Change in Postal address, contact Phone No., Fax No., in the Constitutions or working of your firm, if any, to be intimated to this office immediately.
- 7) During the period, the applicant's request for defective material shall be attended by the vendor free of cost within a month's time from date of complaint wherever arises should be give in undertaking.
- 8) The product shall be used only on Pilot basis. After its use and found suitability it should be referred again to committee for as permanent use.
- 9) If your company shall improve product value by acquiring additional quality accreditations and/or achieves better performance, then such changes shall be invariably informed to this office.
- 10) This approval will be renewed further on request of the firm & depending upon the performance of product on MMRDA works after feedback from respective sites where the product is used.
- 11) MMRDA reserves the right to revoke/cancel the approval, without assigning any reason.

Yours faithfully,



(Basavraj Bhadragond)
Engineer-In-Chief



महाराष्ट्र रेल इनफ्रास्ट्रक्चर डेवलपमेंट कॉर्पोरेशन लि.

महाराष्ट्र शासन आणि रेल्वे मंत्रालय यांचा संयुक्त उपक्रम, २ रा मजला, हेच्स्ट हाऊस, नरीमन पॉइंट, मुंबई ४०००२१.

MAHARASHTRA RAIL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

A Joint Venture of Govt. of Maharashtra and Ministry of Railways

2nd Floor, Hoechst House, Nariman Point, Mumbai 400 021

Tel: +91 22 67477510 | Fax: +91 22 67477511 | Ry: 090 23700 | Email: info@maharail.com | Website: www.maharail.com

CIN: U74999MH2017SGC298367

No. MRIDC/PROJ/FO/GPT/2022-23/2174

Date: 3rd February 2023

To,

M/s GPT Infraprojects Limited

"GPT Center", JC-25, Sector - III

Salt Lake, Kolkata - 700106,

West Bengal, India.

Kind Attn: Mr. Amarjit Singh Arora (Contractor's Representative)

Project : Construction of Cable Stayed Road Over Bridge (ROB) Near Byculla Railway Station at Railway Km 3/16-18 between Sandhurst Road-Byculla stations on CSTM – Dadar Section in Mumbai Division of Central Railway – Byculla.

Subject : Reply: Submission of Vendor Credential for Post-tensioning work

Reference : 1. GIL/MRIDCL/BYCULLA - ROB/2022/98, dated 30.11.2022.

Dear Sir,

Concerning the above subject and reference letter cited above, the credential of M/s SCON Infrastructure was submitted for approval towards prestressing work of portal/piercap.

For Post-tensioning work, we have 'No objection with comments' for Credentials for approval of the vendor M/s SCON Infrastructure but subject to the satisfactory quality of post tensioning materials and process of Post-tensioning confirming to IS 1343 - 1980 with latest amendments and to the contract technical specification.

The all above No objections has been accorded on the condition of maintaining proper quality & process intact. In case of any deterioration in quality or process, these no objections will be cancelled. Also subject to fulfillment of following Term and conditions:-

1. This approval is valid only for the above-mentioned contract/work.
2. This approval is valid only for supply, Installation & execution of Post-tensioning works as per Contract Terms & Conditions and conforming to applicable relevant codes & Specifications with latest amendments.
3. Post-Tensioning Materials supplied to this project shall be accompanied with all essential Material test certificates, Delivery Challan and sales invoice etc.
4. Quality Assurance Plan(QAP), Inspection Test Plan, safety Manual with HIRAC documents shall be submitted for review & approval in advance.
5. The essential Tests on post-tensioning materials shall be done as per Submitted ITP based on Standard procedure of post-tensioning works & to the satisfaction of MRIDC Quality Team. Materials shall be permitted to use only after conforming the necessary Physical, Mechanical & chemical test as per applicable relevant codes & Specifications with latest amendments and shall comply with the said tests requirements as per the quality control plan approved by MRIDC



महाराष्ट्र रेल इनफ्रास्ट्रक्चर डेवलपमेंट कॉर्पोरेशन लि.

महाराष्ट्र शासन आणि रेल्वे मंत्रालय यांचा संयुक्त उपक्रम, २ रा मजला, हेच्स्ट हाऊस, नरीमन पॉइंट, मुंबई ४०००२१.

MAHARASHTRA RAIL INFRASTRUCTURE DEVELOPMENT CORPORATION LTD.

A Joint Venture of Govt. of Maharashtra and Ministry of Railways

2nd Floor, Hoechst House, Nariman Point, Mumbai 400 021

Tel: +91 22 67477510 | Fax: +91 22 67477511 | Rly: 090 23700 | Email: info@maharail.com | Website: www.maharail.com

CIN: U74999MH2017SGC298367

throughout the application of post-tensioning works. Any non-compliance in test results/Quality Performance will disqualify the said source for post-tensioning works in any of the MRIDC projects.

6. This approval of the firm is also subjected to timely renewal of Valid certificates and other licenses, as well as fulfilment of other terms & conditions for Supply, Installation & execution of Post-tensioning works.

7. The Post-tensioning Materials & execution works procedure, Quality standards shall conform to the design requirements of said ROB.

8. This Acceptance doesn't bind MRIDC to this source/Agency or its product/s in any other MRIDC project.

9. The approval shall stand cancelled automatically in case of any negative feedback about the performance/compliance of this source/Agency or its product/s to the specification & quality requirements, from previous or ongoing organizations where the product has been used.

10. MRIDC reserves the right to remove or suspend the source approval without assigning any reasons at any time.

Notwithstanding the specifications and conditions stated in the contract, the Firm / Agency shall keep the Engineer/ Employer authority fully indemnified and free from all liabilities and risks consequential to any lapse on his part in respect of material quality, standard of workmanship, accuracy of casting and the like.

However as per various clauses of contract condition, any approval of engineer shall not relieve the contractor from any responsibility, including responsibility for his errors, omissions, discrepancies, and non-compliance.

All above mentioned is for your information & necessary action.

With Best Regards,

ASIT KUMAR ROUT
ACPM (CIVIL)



Signature Not
Verified

Digitally signed by
SUBHASH CHANDRA
Date: 2024-07-02
17:39:43 IST
Reason: Sign Final
Approval
Location:

RDSO

(B&S, Engineering)

Final Decision Letter

Letter No - **RDSO/108/1901/00046337**

Dated **02/07/2024**

To

M /s SCON INFRA PRESTRESS LLP-THANE
C-24/CD-116, IIND FLOOR, SHREERANG SOCIETY, THANE WEST THANE, Maharashtra - 400601, India

Sub: Decision of Fresh Registration Request

Ref: Your registration request ID **23281** Dated **25/04/2024**

Your application under reference has been processed.

After detailed processing, competent authority has decided the inclusion of your name in the Vendor directory as per the following details: -

Name of the firm	M /s SCON INFRA PRESTRESS LLP-THANE
Registered Address of the Firm	C-24/CD-116, IIND FLOOR, SHREERANG SOCIETY, THANE WEST THANE, Maharashtra - 400601, India
Mfg. Unit Details	PLOT NO-76, BABOSA INDUSTRIAL PARK, SARAVALI VILLAGE TALUKA BHIWANDI THANE (W), Maharashtra - 421302, India

Items for which request is approved

Item ID: 3100405, POT PTFE BEARING			
#	Sub Item	Category	Capacity(Per Annum)
1	ID: 3100405001, POT PTFE BEARING	Approved	50

Date of Decision	02/07/2024
Next Quality Audit Due on	01/07/2029

Additional Remarks

#	Details
1	Any change in the address of your office or manufacturing units shall be brought to the notice of Director General, B&S, RDSO, Lucknow. You are liable to be dropped from the approved list if your product is found unsatisfactory at any stage of fabrication and inspection or on any other violation as per RDSO ISO Apex Documents which are available on RDSO website www.rdsr.indianrailways.gov.in .

Attached Documents

#	Description	File Name
<i>No Document attached</i>		

Digitally Signed by
SUBHASH CHANDRA
DirectorIII



CITY AND INDUSTRIAL DEVELOPMENT CORPORATION OF MAHARASHTRA LIMITED

(CIN - U99999 MH 1970 SGC - 014574)

Ref. no. CIDCO/ EE (PA & R)/ P-2947/ 2025/521

Date: 26.08.2025

To

M/s SCON Infra Prestress LLP,

Regd. Office

Shop no. 17,

Gorai Matruaashish CHS Ltd.,

Opp. Azara Bank Gorai II, Borivali (W)

Mumbai, Maharashtra -40092

Factory Unit

H. No. 2991, Babosa Industrial Complex,

Nashik Highway,

Sarvali village,

Bhiwandi -421302

Contact Person: Shri. Umesh Hari Bhujbalrao

Contact no. - +91 93245 16701

E-Mail Id- info@sconinfra.com

Sub: Registration as an Approved Vendor

Ref: Your application vide file no P-2947 received on 24.06.2025

Dear Sir,

With reference to your request /application on subject matter, we are pleased to inform you that, your registration as an approved vendor for our projects / works for the following products is approved herewith for a period of **Two (02) years** from date of issue of this certificate i.e. **26.08.2025 to 25.08.2027**.

Sr. No.	Material Description	Material/Size/Range/Type/Specification
1	Civil Items-Bridge Bearings And Expansion Joints	1. POT/PTFE Bearing 2. Pre-Stressing System/ Prestressing Materials 3. Expansion Joints 4. HDPE Pipes



Shrikant
Executive Engineer (PA & REG.)
CIDCO Ltd.

Regd. Office: Nirmal, 2nd Floor, Nariman Point, Mumbai - 400 021 • Tel.: 022 6650 0900
Head Office: CIDCO Bhavan, CBD Belapur, Navi Mumbai - 400 614 • Tel.: 022 6791 8100


Page 1 of 2

Kindly note that,

- a) The validity of this enlistment is valid for **Two (02) Years** i.e. from **26.08.2025** to **25.08.2027**. However, the Corporation reserves the right to cancel the same in case complaints are received from users within that period.
- b) The product shall be in conformity with requirements of BIS/ISO Standards. You shall keep your BIS/ISO registration valid and any changes in the same shall be intimated to this office.
- c) The approval has been granted on the basis of documents/information furnished by **M/s SCON Infra Prestress LLP**. The approval would be cancelled if any details are found in variance to the details already furnished during the inspection of manufacturing unit. Further CIDCO Ltd. reserves the right to visit the manufacturing unit at any time.
- d) It is a responsibility of user to ascertain quality and safety associated with product before acceptance, capacity of vendor for supply schedule, to carry out all tests as per relevant IS codes, past & present supply performance of various contractors in Mumbai & Navi Mumbai. Further inclusion in the approved list does not absolve the users from acceptance of bad quality of product.
- e) The registration shall not bind CIDCO Ltd. to give you any priority or preference in the issue of enquiry and placement of purchase orders and does not guarantee that all or any of the enquiries for the above items would necessarily be sent to you.
- f) You are also required to intimate us the changes, if any, in the postal address, the contact Phone Number, Fax Nos. in the constitutions or working of your firm during the currency of registration of your firm with us.
- g) You are required to apply 60 days in advance for revalidation before expiry of current validity of enlistment along with all documents and information as required.
- h) During the period of enlistment, if, your company **M/s SCON Infra Prestress LLP** improves your product value by acquiring additional quality accreditation and/or achieves better financial performance then such changes shall be invariably informed to the Corporation.
- i) You shall share the copies of invoice with prices of the orders placed for works of CIDCO Ltd., if required.
- j) If a contractor working for CIDCO Ltd. works place purchase order for the material, the same will have to be supplied on priority, adhering time schedule required by CIDCO, failing which CIDCO Ltd. may cancel the registration of product which may please be noted.

Thanking you,

Yours faithfully,


(V. Y. Ingle) 26/8/2025

Executive Engineer (PA & Reg.),
CIDCO Ltd, 3rd Floor, CIDCO Bhavan,
CBD Belapur, Navi Mumbai -400 614
Contact No.: 022 – 6791 8300
E-mail : ee.pa-reg@cidcoindia.com





शहर व औद्योगिक विकास महामंडळ (महाराष्ट्र) मर्यादित

(मीआयएन - यु १११११ एमएच ११७० एमजीसी - ०१४५७४)

नोंदणीकृत कार्यालय :

'निमेल' दुसरा मजला, नरीमन पॉर्टफॉर्ट,
मुंबई - ४०० ०२९.
दूरध्वनी : ००-९९-२२-६६५० ०९००
फैक्स : ००-९९-२२-२२०२ २५०९

मुख्य कार्यालय :

'सिड्को' भवन, सी. वी. डी. बैलापूर.
नवी मुंबई ४०० ६९४.
दूरध्वनी : ००-९९-२२-६७९९ ८९००
फैक्स : ००-९९-२२-६७९९ ८९६६

CIDCO/EE (Ulwe Coastal Road)/2025/ ५६६

09.01.2025

संदर्भ नं. ०,

दिनांक :

M/s. J. Kumar - J. M. Mhatre (JV),
16A, Andheri Industrial Estate.
Veera Desai Road, Andheri (W),
Mumbai- 400053.

Name of Work: Design & Construction of Coastal Road from Amra Marg to MTHL Junction (from CH 00 at Amra Marg to CH 2900) including Airport Link Road (from CH 00 to CH 903) at Navi Mumbai.

CA. No : 02/CIDCO/SE (K, U & D)/EE (UL-III)/2018-19

Approval to Various Materials

Ref- 1. Your letter No JKIL-JMM/CIDCO/COASTAL-R1/2024/362 dated 19.06.2024
2. Your letter No JKIL-JMM/CIDCO/COASTAL-R1/2024/375 dated 02.07.2024
3. Your letter No JKIL-JMM/CIDCO/COASTAL-R1/2024/433 dated 20.08.2024

Dear Sir,

With reference to above subject work, your request for approval of various materials submitted by you vide your letters under Ref No 1 to 3 above has been approved by competent authority of CIDCO.


The approved vendors for various materials are as follows:

Sr. No.	Name of Material	Approved Make/ Brand
1		
2	Pre-stressing System/ Prestressing Materials	1. M/s SCON Infra Prestress LLP

This is for your information and implementation of the same during execution of the project.

Thanking You

Yours faithfully,



(M M Munde)

EE (Ulwe Coastal Road)
CIDCO of Maharashtra Ltd.
6th Floor, CIDCO Bhavan,
CBD-Belapur, Navi Mumbai.

CITY AND INDUSTRIAL DEVELOPMENT CORPORATION OF MAHARASHTRA LIMITED

(CIN - U99999 MH 1970 SGC - 014574)

REGD. OFFICE:

"NIRMAL", 2nd Floor, Nariman Point,
Mumbai - 400 021.
PHONE : 00-91-22-6650 0900
FAX : 00-91-22-2202 2509

HEAD OFFICE:

CIDCO Bhavan, CBD Belapur,
Navi Mumbai - 400 614.
PHONE: 00-91-22-6791 8100
FAX : 00-91-22-6791 8166

Ref. No.

Date :

CIDCO/EE(Dron-I)/2025/331

15.05.2025

To,
M/s J.M. Mhatre Infra Pvt. Ltd.,
Plot No. 492, Market Yard,
Sahakar Nagar,
Panvel-410206.

Sub: Design and construction of 11.0 m wide Bye-pass Bridge with approaches
from Hotel Anandi to Uran City in Dronagiri, Navi Mumbai.

C.A. No. 05/CIDCO/EE(Dron-III)/2016-17.

Ref: (1) Work Order No. CIDCO/EE(Dron-III)/2017/1209 dated 27.11.2017
(2) Agency letter No. JMMIPL/CIDCO/2025/06 dated 11.02.2025

Dear Sir,

This is to inform you that, your request vide letter dated 11.02.2025 regarding approval
to use the material 'Strip Seal type Expansion Joints' of vendor 'M/s SCON Infra Prestress
LLP' has been accorded by the Competent Authority of CIDCO as a **Project specific
approval**.

In view of above, you are requested to take the note of the same and procure the above
said material at the earliest to be used for this work.

This is for your information and further necessary action.

Thanking you,

Yours faithfully,



Executive Engineer (Dron-I)
CIDCO Nodal Office, Sector-14,
Bokadvira, Dronagiri, Navi Mumbai-400 707.



CITY AND INDUSTRIAL DEVELOPMENT CORPORATION OF MAHARASHTRA LIMITED

(CIN - U99999 MH 1970 SGC - 014574)

REGD. OFFICE:

"NIRMAL", 2nd Floor, Nariman Point,
Mumbai - 400 021.
PHONE : 00-91-22-6650 0900
FAX : 00-91-22-2202 2509

HEAD OFFICE:

CIDCO Bhavan, CBD Belapur,
Navi Mumbai - 400 614.
PHONE: 00-91-22-6791 8100
FAX : 00-91-22-6791 8166

Ref. No. CIDCO/EE(Dron-I)/2024/461

Date : 15.05.2024

To,

M/s J.M. Mhatre Infra Pvt. Ltd.,
Plot No. 492, Market Yard,
Sahakar Nagar,
Panvel-410206.

Sub: Design and construction of 11.0 m wide Bye-pass Bridge with approaches
from Hotel Anandi to Uran City in Dronagiri, Navi Mumbai.

C.A.No. 05/CIDCO/EE(Dron-III)/2016-17.

Ref: (1) Work Order No. CIDCO/EE(Dron-III)/2017/1209 dated 27.11.2017
(2) Agency letter No. JMMIPL/CIDCO/2024/06 dated 07.02.2024

Dear Sir,

This is to inform you that, your request vide letter dated 07.02.2024 regarding approval to use the material POT PTFE bearings of vendor M/s SCON Infra Prestress LLP has been accorded by the Competent Authority of CIDCO as a Project specific approval subjected to the vendor M/s SCON Infra Prestress LLP should invariably get registered with CIDCO and approach EE (PA®) division with documents as per checklist to get their products registered with CIDCO.

In view of above, you are requested to take the note of the same and also you are instructed to procure the above said material at the earliest & expedite the balance work at site, failing which contractual action will be taken.

This is for your information and further necessary action.

Thanking you,

Yours faithfully,

Executive Engineer (Dron-I)
CIDCO Nodal Office, Sector-14,
Bokadvira, Dronagiri, Navi Mumbai-400 707.



CITY AND INDUSTRIAL DEVELOPMENT CORPORATION OF MAHARASHTRA LIMITED

(CIN - U99999 MH 1970 SGC - 014574)

CIDCO/EE (UCR)/2025/ 912

23.06.2025

To,

M/s. J. Kumar - J. M. Mhatre (JV),
16A, Andheri Industrial Estate.
Veera Desai Road, Andheri (W),
Mumbai- 400053.

Name of Work: Design & Construction of Coastal Road from Amra Marg to MTHL Junction
(from CH 00 at Amra Marg to CH 2900) including Airport Link Road (from CH 00 to CH 903) at Navi Mumbai.

CA. No : 02/CIDCO/SE (K, U & D)/EE (UL-III)/2018-19

Ref- 1. Your letter KJIL-JMM/CIDCO/COASTAL-R1/2025/934 dated 10.06.2025

Dear Sir,

With reference to above, you have requested for approval of vendor **M/s. SCON Infra Prestress LLP** for supply of Strip Seal Expansion Joint . The product has been approved for the work of Design and construction of 11.0m wide Bye-Pas Bridge with approaches from Hotel Anandi to Uran City in Dronagiri, Navi Mumbai as a **Project Specific Approval**.

Since the product is approved as Project Specific Approval . it is necessary to register the vendor in CIDCO Ltd .

You are therefore requested to intimate the vendor **M/s SCON Infra Prestress LLP** for necessary registration in CIDCO Ltd .

Thanking You.

Yours faithfully,

(M M Munde)

EE (Ulwe Coastal Road)
6th Floor, CIDCO Bhavan,
CBD-Belapur, Navi Mumbai.

Project Management Consultancy Services for Construction of Western Dedicated Freight Corridor Phase 2
4th floor, Keval Corporate Park-II, Chhani Road, Vadodara – 391740

No. L/OCGC/DFCC/ZMT-3/CTP-13/2012/ 3907

Date: 11/12/2020

To,
M/s. Express Freight Consortium
C/o. Tata Projects Limited
2nd Floor, Keval Corporate Park
Opp. GEB Sub-Station
Chhani Road, Vadodara -390002.

(Kind attention: Mr. Tapash Basu, Contractor's Representative)

Sub: Design & Construction of Civil, Building and Track Works for Double Line Railway involving formation in Embankments/Cuttings, Bridges, Structures - Western Dedicated Freight Corridor Project (Sachin-Vadodara section of Western Dedicated Freight Corridor (Phase -2) Contract Package CTP-13 – “CTP-13 Package: Approval of Pre-Stressing Components Drawing, QAP, Method Statement & List of Machineries by M/s. SCON Infrastructure-NONO.”

Ref: 1. C.A. No. HQ/EN/PWC/Phase-II/PKG-13/D&B/4/EFC dated 18/08/2015
2. CMT letter no. L/OCGC/DFCC/CMT/CTP-13/1909/28591 dated 18.09.2019
3. EFC letter no. WDFCCIL/CTP-13/TPL/A001/7641 dated 21.07.2020(received on 24.07.2020)
4. ZMT-3 letter no. L/OCGC/DFCC/ZMT-3/CTP-13/2008/3486 dated 11.08.2020
5. EFC letter no. WDFCCIL/CTP-13/TPL/A001/7835 dated 04.09.2020
6. ZMT-3 letter no. L/OCGC/DFCC/ZMT-3/CTP-13/2009/3609 dated 16.09.2020
7. EFC letter no. WDFCCIL/CTP-13/TPL/A001/8258 dated 02.12.2020
8. Document no. DOC/CTP13/TECH/GEN/33 Rev.2

Dear Sir,


Vide letter at ref.7, Contractor has submitted the compliances to the Engineer's previous letters at ref.6 for approval of Pre-Stressing Component Drawings, QAP, Method Statement & List of Machineries by M/s. SCON Infrastructure for approval.

Engineer has reviewed the submittal and found to be in satisfactory. Therefore, engineer hereby issues **Notice of No Objection (NONO)** in terms of Sub Clause No. 3.1 of Appendix 13 of Employer Requirement (Ref-Part 2: Employer Requirement of CA) to the contractor's submission at ref.7 & document no. DOC/CTP13/TECH/GEN/33 Rev.2.

It may be noted that clause 5.2 & 3.1(c) of General Condition (FIDIC) is relevant to this context, which specifies that any such approval or consent, or any review shall not relieve the contractor for any obligation or responsibility. Subsequently any errors, mistake, discrepancies (if any) found after this NONO, are required to be modified by the Contractor on his own cost.

Thanking you,

Yours Sincerely,


Hundi Lal Chaudhary
CRE/ZMT-3/Vadodara
The Engineer's Assistant

Copy to:

1. CGM/DFCCIL/Vadodara
2. Program Expert/PMC-2R/OCGC/New Delhi

Copy by mail to:

1. Authorized Signatory, M/s. EFC/New Delhi,
2. DC/PMC-2R/OCGC/New Delhi



SMC Infrastructures Private Limited

ISO 9001:2015
EMS-ISO 14001:2015
OHSAS 18001:2007
CIN No.U45200MH1982PTC027432

To,
M/s SCON INFRA PRESTRESS LLP.

Formerly Known as SCON INFRASTRUCTURE

Head Office: 110-111, R Piazza, Swastik Regalia Tower,

Kavesar, Waghbil Road, Off. Ghodbunder Road,

Thane West – 400607

Tel:- 022-49708782

Date: 11th JULY, 2023

TO WHOMSOEVER IT MAY CONCERN

SUB: PERFORMANCE CERTIFICATE FOR SCON INFRA PRESTRESS LLP

This is to certify that THE Steel Anchorages/ HDPE Pipes/ Expansion Joints are supplied by M/s SCON INFRA PRESTRESS LLP. For our “ Design and Construction of Flyover at Mumbai Junction on NH-4 Old Mumbai-Pune Highway (Client MMRDA)” was found to have satisfactory performance. Quality standards were maintained by them.

The products were successful in fulfilling our site requirements in accordance with codal requirements.

Thanking you

Yours faithfully,
For SMC Infrastructures Pvt. Ltd.,



Authorized Signatory.

BUILDING INDIA.
BUILDING DREAMS.

Regd. Off: Floor-3, Plot-4, K.K. Chambers, Purushottamdas Thakurdas Road, Fort, Mumbai-400 001, Maharashtra, INDIA. Tel: 022 2201 5592
Corporate Off: 101, SMC SQUARE, L.B.S. Marg, Khopar, Thane (W) - 400 601, Maharashtra, INDIA.
Tel: +91-22-25376700, 2533 4143, 2536 7074
E-mail: smcpl.2015@gmail.com, smcpl@smcinfra.com wwwsmcinfra.com

FORCE CONSTRUCTION PVT LTD

Ref:NCSL/FORCE/2023/0011

Date:08/07/2023

To,

M/s SCON INFRA PRESTRESS LLP.
Formerly Known as SCON INFRASTRUCTURE
Head Office: 110-111, R Piazza, Swastik Regalia Tower,
Kavesar, Waghbil Road, Off. Ghodbunder Road,
Thane West - 400607
Tel.: 022-49708782

TO WHOMSOEVER IT MAY CONCERN

SUB: PERFORMANCE CERTIFICATE FOR SCON INFRA PRESTRESS LLP

This is to certify that The Steel Anchorages/ HDPE Pipes/ Expansion Joints/ POT PTFE Bearing/ Elastomeric Bearing are etc, supplied by M/s. SCON INFRA PRESTRESS LLP for our "SCLR PHASE II (CLIENT: MMRDA)" was found to have satisfactory performance. Quality standards were maintained by them.

The products were successful in fulfilling our site requirements in accordance with codal requirements.

Thanking you

For

